

genscriber.ini settings

The settings available for the genscriber.ini are show below.

Setting	Purpose	Default Setting
WORKTYPE=BOTH	The data input type This sets the type of inputs you want to have available. It can be either WORKSHEET, TEXTPAD or BOTH. By default, genscriber uses both. If you set this to just one type, and try to open a file belonging to the type not chosen, then genscriber will attempt to activate both types in order to open the file you selected.	BOTH
ENABLE_SHORTCUT=(0/1)	Adds a Create Shortcut item to the Tools Menu. Useful if you distribute you package in a zip file. Allows the user to create a desktop shortcut. If you distribute as a install app, this is not needed.	0
UKDATE=(0/1)	Sets date format in html sort functions to dd/mm/yyyy	1
CHARSET=UTF-8	Character Set This will allow you to choose the character set for your system. GenScriber uses the UTF-8 character set internally, and is able to display many different languages correctly. The purpose of choosing a character set is to tell GenScriber which character set your Windows system is using. When a file is saved, any extended characters will be converted to the correct code page for Windows. When a file is opened, the file will be converted back to UTF-8. Linux users will not have this problem. If you use Linux just leave the setting at UTF-8.	UTF-8
ONECLICKEDIT=(0/1)	Single Click Edit When selected, 'edit mode' will start every time a cell is entered. If not selected, 'edit mode' only starts when a cell is clicked twice, or 'Enter/Return' is pressed while in a cell.	1
AUTOSELECT=(0/1)	Auto Select Automatically select contents of a cell when the cursor first enters the cell. Default is on.	0
CURSORATEND=(0/1)	Cursor At End This only applies when 'Auto Select' is off.	1
HORZGRIDON=(0/1)	Show Horizontal Grid Show the worksheet horizontal grid lines.	1
VERTGRIDON=(0/1)	Show Vertical Grid Show the worksheet vertical grid lines.	1
CONDITIONS=(0/1)	Allow Condition Scripts This will allow a conditions script to run, if one exists.	1
PICKCOLWIDTH=140	Set width of picklist column width in column options	140
CELLWIDTH=100	Default Cell Width This will set the default cell width when loading worksheets that do not have	100

	template settings. It is initially set at 100 pixels.	
ROWHEIGHT=25	Row Height Set the height of the worksheet rows. Requires a file reload for setting to take effect.	26
SHOWROWNUMBERS=0	Show Row Number Display a fixed left column of row numbers.	0
GRIDFONTSIZE=12	Font Size Sets worksheet text size	12
DEFAULTROWCOUNT=25	Default number of rows when starting a new worksheet. Aesthetic only	25
TOOLTIPDELAY=0.5	Tooltip Delay sets the delay (in seconds) before tooltips are displayed. A setting of '0' (zero) will disable tooltips.	5
COLORISE=255,240,15	The default image filter colour	255,240,15
IMAGEFILTERS=(0/1)	Image Filters Set image filters ON/OFF	1
EXPORTBMD=(0/1)	Import/Export FreeBMD Allow export to the FreeBMD 'flat file' info header format. This will be turned on automatically if a bmd file is opened.	1
EXPORTGHF=(0/1)	Import/Export GHF Allow export to GHF files. This will be turned on automatically if a ghf file is opened.	1
EXPORTCEN=(0/1)	Import/Export FreeCEN Allow export to the FreeCEN file info header format.	1
EXPORTREG=(0/1)	Import/Export FreeREG Allow export to the FreeREG info header format. This will be turned on automatically if a frg file is opened.	1
EXPORTHTML=1	Export Html The html export is very useful for providing someone an easily readable version of your worksheet. The worksheet will be exported to one or more linked html files. A folder will be created during the export process. When exporting to html, each file will contain a maximum number of rows as per the setting of 'Html Rows Per Page'. Each html file created will contain links to all other pages created from the worksheet. Each link will be the number of the html file (page).	1
HTMLCSSFILE=0	Use external css file Exported html files use an external css file. Useful if you want to change the styles. Note: The nowrap option is not applied when using external css. You can set it in the css file.	0
TABLESORTER=0	Add table sort Option to add scripts to sort the table data.	0
TDFIXWIDTH=0	Set fixed (column) widths Sets fixed table and column widths when exporting html.	0
TDNOWRAP=1	Set nowrap in (td) Stops text wrapping in cells when exporting html.	1
HTMLHEADER=0	Add a WebPage Heading Select this if you want to add navigation etc at the top of the webpage. The html you add here will be displayed in a div above the data tables.	

HTMLFOOTER=0	Add a WebPage Footer Select this if you want to add a footer to the webpage. The html you add here will be displayed in a div below the data tables.	0
HTMLROWS=200	Html Rows Per Page How many rows per page when exporting a worksheet to html.	200
EXPORTXML=1	Export Xml This is a raw xml format.	1
EXPORTGED=1	Import/Export Gedcom files.	1
GEDLOG=0	Displays error log when importing gedcom. Only used for debugging during development.	0
EXPORTEXTRA=0	Import/Export with uno Uno is a utility available in LibreOffice and OpenOffice. It allows us to Import/Export several spreadsheet formats. GenScriber makes use of uno to import and export extra file formats, including ods and xls.	0
SHOWFSOFFSETS=0	When importing Family Search xls files show offsets.	0
GRIDSMALLBUTTONS=1	Small toolbar Buttons Reduces the size of the worksheet toolbar buttons.	1
IMGSMALLBUTTONS=1	Small Image Toolbar Buttons Reduces the size of the image toolbar buttons.	1
COPYPASTEBUTTONS=0	Toolbar Copy/Paste Buttons. Special Copy: This will copy a single row of data to the clipboard and format it suitable for use in other applications. Special Paste The special paste will paste from the clipboard, either a single record formatted as a list, or multiple records formatted as tabulated data. The data can be taken from other applications (another instance of GenScriber, excel, openoffice etc.), or from websites that display formatted records in tables.	1
NAVIGATIONBUTTONS=0	Show navigation buttons in worksheet toolbar	0
COPY_BUTTON=0	Show copy button in worksheet toolbar	0
INC_BUTTON=0	Show inc button in worksheet toolbar	0
ENABLE_NEW_FROM_TPL=1	Enables a toolbar button for creating new from template	1
WORKTOOLBARPOSITION=2	Worksheet Toolbar Position The worksheet toolbar can be placed top,left,right or bottom of the worksheet.	2
IMAGETOOLBARPOSITION=2	Image Toolbar Position The image toolbar is always to the left of the image, but can be place top, left, right ot bottom of the image file list.	2
TEXTTOOLBARPOSITION=1	Toolbar Position The textpad toolbar has only one button size, but it can be repositioned. If you move the toolbar left or right when you have Font and Style tools selected it looks a bit ugly due to the width required by font and style.	1
FTFSEPARATOR= :-	Used when exporting csv files with a free text area	:-
FTFJUSTIFY=1	Used when exporting csv files with a free text area	1

EXTENDEDCHARS=1	If set to 0 will force	1
ADVANCEDTOOLS=1	Show/Hide advanced options in “Column Options”	1
TITLESCAN=1	Look for column titles when opening files. Spreadsheet type headers are used for files without a title row.	1
COMMA=1	COMMA=0 comma will be removed. COMMA=1 commas are allowed. COMMA=# replace comma with the ascii character code #. # may be any ascii code 32 to 126. Example: COMMA=59 (59 is the semicolon). Example: COMMA=32 (32 is a space). Note: Default value is 1. (allow commas)	
QUOTE=1	QUOTE=0 double quote will be removed. QUOTE=1 double quote is allowed. QUOTE=# replace double quote with the ascii character code #. # may be any ascii code 32 to 126. Example: QUOTE=39 (39 is the single quote). Note: Default value is 1. (allow quotes)	
AUTOCOMplete=0	Auto Complete When selected, this will auto complete text in the cell as you type. The predictions are taken from the current picklist.	
AUTOHYPERLINK=0	Auto detect hyperlinks Select this if you want to set the column hyperlink option automatically. The detection is activated when you attempt to view a link or export html. Ambiguous paths are not recognised as links.	
FIXHYPERLINK=0	Prefix ambiguous file paths If this option is selected, and the column is set as hyperlink, then genscriber will attempt to fix ambiguous file paths. For example, myimage.jpg and C:/My Images/myimage.jpg may not be handle correctly by your browser. This option will add file: to the beginning. i.e. file:C:/My Images/myimage.jpg	
ADMINMODE=0	Using Admin Mode Admin mode is not necessary, unless you intend to use condition scripting. To enter full admin mode, set as ADMINMODE=3 , and save the file. Do this BEFORE you start GenScriber.	
PREDICT=1	Predict in Picklist Attempt to find the contents of current cell in the picklist. This will slow down older computers.	
INSERTAFTER=0	When inserting new rows, the default is to insert before the current row. This setting will force inserting after the current row.	
SORTING=0	Allow Sorting This allows standard multi column sorting of rows, and special sorting of dates etc.	
PDFSWITCH=	Pdf Page Switch The switch (command) used by the pdf viewer to select a page when launched. For example, adobe uses ' page ' and atril uses ' -p '	
PDFVIEWER=	Pdf Viewer The name of the default pdf viewer. For	

example, **atril** or **evince**. This allows a cell to contain a link that will call a page within a pdf file.

special control keys

CTRLF=1

Find and Replace

CTRLD=0

Delete from picklist

CTRLH=0

hide column

CTRLR=1

Copy from cell above

CTRLS=1

Save current worksheet

CTRLI=0

Increment from cell above

CTRLG=0

fill column from cell above. **Deprecated in GenScriber 2.4**

CTRLLL=1

Launch link

CTRLK= 1

SHIFTENTER=1 Use Ctrl+K to copy and paste from picklist